



Original GKN Parts

New car applications

	from	up to	Manual/ Autom.	ABS ring	Remarks	Löbro	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
DACIA													
LOGAN													
1.4 (55 kW) / 1.6 (64 kW)	09.04 -		MT MT MT		TPE boot	304733 304882 304876	Driveshaft Boot Kit Boot Kit	L L		x			L:660/A:23/D:26 L:105/Ø1=24/Ø2=81 L:85/Ø1=25.7/Ø2=107/with bearing
1.6 16V (77 kW)	02.07 -		MT MT MT		TPE boot TPE boot	304733 304882 304879	Driveshaft Boot Kit Boot Kit	L		x			L:660/A:23/D:26 L:105/Ø1=24/Ø2=81 L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (48 kW)	09.05 -		MT MT		TPE boot	304882 304876	Boot Kit Boot Kit			x			L:105/Ø1=24/Ø2=81 L:85/Ø1=25.7/Ø2=107/with bearing
1.5 dCi (50 kW)	01.06 -		MT MT MT		TPE boot TPE boot	304733 304882 304879	Driveshaft Boot Kit Boot Kit	L		x			L:660/A:23/D:26 L:105/Ø1=24/Ø2=81 L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	09.07 -		MT MT		TPE boot	304877 304878	Boot Kit Boot Kit			x			L:114/Ø1=23.3/Ø2=78.3 L:87.6/Ø1=19.9/Ø2=75.45 (for tripod joint)
SANDERO													
1.2 16V (55 kW)	11.08 -		MT MT MT MT MT	x x		304508 304507 304510 304509 304876	Driveshaft Driveshaft Driveshaft Driveshaft Boot Kit	L L R R				26 26 5 5	L:690/A:21/Ø Tripodroller:29.9 L:690/A:21/Ø Tripodroller:29.9 L:765/A:21/K:23 L:765/A:21/K:23 L:85/Ø1=25.7/Ø2=107/with bearing
1.4 (55 kW) / 1.6 (64 kW)	06.08 -		MT MT MT MT MT	x x		304508 304507 304510 304509 304876	Driveshaft Driveshaft Driveshaft Driveshaft Boot Kit	L L R R				26 26 5 5	L:690/A:21/Ø Tripodroller:29.9 L:690/A:21/Ø Tripodroller:29.9 L:765/A:21/K:23 L:765/A:21/K:23 L:85/Ø1=25.7/Ø2=107/with bearing
1.5 dCi (48 kW)	09.05 -		MT MT		TPE boot	304882 304876	Boot Kit Boot Kit			x			L:105/Ø1=24/Ø2=81 L:85/Ø1=25.7/Ø2=107/with bearing
1.5 dCi (50 kW)	11.08 -		MT MT MT		TPE boot	304512 304514 304877	Driveshaft Driveshaft Boot Kit	L R				26 5	L:690/A:23/Ø Tripodroller:29.9 L:765/A:23/K:23 L:114/Ø1=23.3/Ø2=78.3
1.5 dCi (63 kW)	11.08 -		MT		TPE boot	304877	Boot Kit			x			L:114/Ø1=23.3/Ø2=78.3

	from	up to	Manual/ Autom.	ABS ring	Remarks	Löbro	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
RENAULT													
CLIO II													
1.5 dCi (50 kW)	04.04 -	05.05	MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
CLIO III													
1.4 16V (72 kW)	06.05 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (65 kW)	06.05 -		MT		- 02.06	304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (82 kW)	06.05 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (102 kW)	09.06 -		MT		engine M4R700, TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 D (60 kW)	11.07 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (47/50 kW)	06.05 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (48 kW)	05.05 -	10.06	MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	05.05 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
CLIO III GRANDTOUR													
1.6 16V (82 kW)	02.08 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (50/63 kW)	02.08 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
LAGUNA II (BG0/1_) / LAGUNA II GRANDTOUR (KG0/1_)													
1.6 16V (76 kW)	06.01 -	10.03	MT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
			MT		TPE boot	304879	Boot Kit	R			x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (79 kW)	03.01 -		MT5			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
			MT5		TPE boot	304879	Boot Kit	R			x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.8 16V (85/89 kW)	03.01 -		MT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
2.0 16V (95 kW)	09.02 -	05.05	MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (99 kW)	08.02 -		MT/AT		engine F4R713, TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V IDE (103 kW)	04.01 -		MT/AT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
1.9 dCi (96 kW)	05.05 -		MT		TPE boot	304879	Boot Kit	R			x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.9 dCi (77 kW)	06.01 -		MT/AT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
LOGAN (LS)													
1.4 (55 kW)	09.04 -		MT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
1.6 (64 kW)	09.04 -		MT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
1.5 dCi (50 kW)	04.07 -		MT			304876	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing

	from	up to	Manual/ Autom.	ABS ring	Remarks	Löbro	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
LOGAN KOMBI (KS)													
1.5 dCi (50 kW)	04.07 -		MT			304733	Driveshaft	L					L:660/A:23/D:26
MEGANE II													
1.4 16V (60 kW)	11.02 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.4 16V (72 kW)	11.02 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (75 kW)	09.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 Flex-Fuel (77 kW)	01.07 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (83 kW)	11.02 -		MT5		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (99 kW)	11.02 -		MT6		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (60 kW)	11.02 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	11.02 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (76 kW)	01.07 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
MEGANE II GRANDTOUR													
1.4 (72 kW)	08.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 Hi-Flex (77 kW)	02.08 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (83 kW)	08.03 -		MT5		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (99 kW)	08.03 -		MT6		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (60 kW)	08.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	05.05 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (74 kW)	02.04 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (76 kW)	01.07 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
MODUS													
1.4 (72 kW)	12.04 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 (82 kW)	12.04 -		MT		TPE boot	304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (48/78 kW)	12.04 -		MT		TPE boot	304733	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (50/63 kW)	12.04 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
SCÉNIC II (JM)													
1.6 16V (82 kW)	01.07 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 (JM0C,JM0J,JM1B) (83 kW)	06.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 (99 kW)	06.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (60 kW)	06.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	05.05 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (74 kW)	11.03 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (76 kW)	01.07 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)

	from	up to	Manual/ Autom.	ABS ring	Remarks	Löbro	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
GRAND SCÉNIC													
1.6 (83 kW)	04.04 -		MT		engine K4M761, TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (74 kW)	04.04 -		MT		TPE boot	304879	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)

Newsletter 09/2010

New part nos.

Car Manufacturers	OE	Löbro	Description	Barcode	Gross weight (kg)	Measurements of		
						Length	Width	Height
RENAULT / DACIA	8200618501	304733	Driveshaft	4019064148173	6,360	765	120	120
	7701473830 8200017057	304876	Boot Kit	4019064149606	0,366	170	105	105
	6001550547 7701210062 1648500 310703-1	304877	Boot Kit	4019064149613	0,254	168	103	103
	6001550548 7701209612	304878	Boot Kit	4019064149620	0,345	170	105	105
	7701209255	304879	Boot Kit	4019064149637	0,310	168	103	103
	7701209242	304882	Boot Kit	4019064149668	0,316	168	103	103