

New car applications

	from	up to	Manual/ Autom.	ABS ring	Remarks	Spidan	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications	
DACIA														
LOGAN														
1.4 (55 kW) / 1.6 (64 kW)	09.04 -		MT		TPE boot	24460	Driveshaft	L					L:660/A:23/D:26	
			MT			24611	Boot Kit			x		L:105/Ø1=24/Ø2=81		
			MT			24605	Boot Kit	L				x	L:85/Ø1=25.7/Ø2=107/with bearing	
1.6 16V (77 kW)	02.07 -		MT		TPE boot	24460	Driveshaft	L					L:660/A:23/D:26	
			MT			24611	Boot Kit			x		L:105/Ø1=24/Ø2=81		
			MT			24608	Boot Kit					x	L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)	
1.5 dCi (48 kW)	09.05 -		MT		TPE boot	24611	Boot Kit			x			L:105/Ø1=24/Ø2=81	
			MT			24605	Boot Kit	L				x	L:85/Ø1=25.7/Ø2=107/with bearing	
1.5 dCi (50 kW)	01.06 -		MT		TPE boot	24460	Driveshaft	L					L:660/A:23/D:26	
			MT			24611	Boot Kit			x			L:105/Ø1=24/Ø2=81	
			MT			24608	Boot Kit					x	L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)	
1.5 dCi (63 kW)	09.07 -		MT		TPE boot	24606	Boot Kit			x			L:114/Ø1=23.3/Ø2=78.3	
			MT			24607	Boot Kit					x	L:87.6/Ø1=19.9/Ø2=75.45 (for tripod joint)	
SANDERO														
1.2 16V (55 kW)	11.08 -		MT			24161	Driveshaft	L				26	L:690/A:21/Ø Tripodroller:29.9	
			MT	x		24160	Driveshaft	L					26	L:690/A:21/Ø Tripodroller:29.9
			MT			24163	Driveshaft	R					5	L:765/A:21/K:23
			MT	x		24162	Driveshaft	R					5	L:765/A:21/K:23
			MT			24605	Boot Kit							x
1.4 (55 kW) / 1.6 (64 kW)	06.08 -		MT			24161	Driveshaft	L				26	L:690/A:21/Ø Tripodroller:29.9	
			MT	x		24160	Driveshaft	L					26	L:690/A:21/Ø Tripodroller:29.9
			MT			24163	Driveshaft	R					5	L:765/A:21/K:23
			MT	x		24162	Driveshaft	R					5	L:765/A:21/K:23
			MT			24605	Boot Kit							x
1.5 dCi (48 kW)	09.05 -		MT		TPE boot	24611	Boot Kit			x			L:105/Ø1=24/Ø2=81	
			MT			24605	Boot Kit	L				x	L:85/Ø1=25.7/Ø2=107/with bearing	
1.5 dCi (50 kW)	11.08 -		MT		TPE boot	24165	Driveshaft	L				26	L:690/A:23/Ø Tripodroller:29.9	
			MT			24167	Driveshaft	R					5	L:765/A:23/K:23
			MT			24606	Boot Kit					x		L:114/Ø1=23.3/Ø2=78.3
1.5 dCi (63 kW)	11.08 -		MT		TPE boot	24606	Boot Kit			x		L:114/Ø1=23.3/Ø2=78.3		

	from	up to	Manual/ Autom.	ABS ring	Remarks	Spidan	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
RENAULT													
CLIO II													
1.5 dCi (50 kW)	04.04 -	05.05	MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
CLIO III													
1.4 16V (72 kW)	06.05 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (65 kW)	06.05 -		MT		- 02.06	24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (82 kW)	06.05 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (102 kW)	09.06 -		MT		engine M4R700, TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 D (60 kW)	11.07 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (47/50 kW)	06.05 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (48 kW)	05.05 -	10.06	MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	05.05 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
CLIO III GRANDTOUR													
1.6 16V (82 kW)	02.08 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (50/63 kW)	02.08 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
LAGUNA II (BG0/1_) / LAGUNA II GRANDTOUR (KG0/1_)													
1.6 16V (76 kW)	06.01 -	10.03	MT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
			MT		TPE boot	24608	Boot Kit	R			x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (79 kW)	03.01 -		MT5			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
			MT5		TPE boot	24608	Boot Kit	R			x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.8 16V (85/89 kW)	03.01 -		MT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
2.0 16V (95 kW)	09.02 -	05.05	MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (99 kW)	08.02 -		MT/AT		engine F4R713, TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V IDE (103 kW)	04.01 -		MT/AT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
1.9 dCi (96 kW)	05.05 -		MT		TPE boot	24608	Boot Kit	R			x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.9 dCi (77 kW)	06.01 -		MT/AT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
LOGAN (LS)													
1.4 (55 kW)	09.04 -		MT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
1.6 (64 kW)	09.04 -		MT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing
1.5 dCi (50 kW)	04.07 -		MT			24605	Boot Kit	L			x		L:85/Ø1=25.7/Ø2=107/with bearing

	from	up to	Manual/ Autom.	ABS ring	Remarks	Spidan	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
LOGAN KOMBI (KS)													
1.5 dCi (50 kW)	04.07 -		MT			24460	Driveshaft	L					L:660/A:23/D:26
MEGANE II													
1.4 16V (60 kW)	11.02 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.4 16V (72 kW)	11.02 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (75 kW)	09.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 Flex-Fuel (77 kW)	01.07 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (83 kW)	11.02 -		MT5		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (99 kW)	11.02 -		MT6		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (60 kW)	11.02 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	11.02 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (76 kW)	01.07 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
MEGANE II GRANDTOUR													
1.4 (72 kW)	08.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 Hi-Flex (77 kW)	02.08 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 16V (83 kW)	08.03 -		MT5		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 16V (99 kW)	08.03 -		MT6		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (60 kW)	08.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	05.05 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (74 kW)	02.04 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (76 kW)	01.07 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
MODUS													
1.4 (72 kW)	12.04 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 (82 kW)	12.04 -		MT		TPE boot	24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (48/78 kW)	12.04 -		MT		TPE boot	24460	Driveshaft	L					L:660/A:23/D:26
			MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (50/63 kW)	12.04 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
SCÉNIC II (JM)													
1.6 16V (82 kW)	01.07 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.6 (JM0C,JM0J,JM1B) (83 kW)	06.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
2.0 (99 kW)	06.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (60 kW)	06.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (63 kW)	05.05 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (74 kW)	11.03 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (76 kW)	01.07 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)

	from	up to	Manual/ Autom.	ABS ring	Remarks	Spidan	Description	left/ right	front/ rear	outer	inner	pic.	Technical Specifications
GRAND SCÉNIC													
1.6 (83 kW)	04.04 -		MT		engine K4M761, TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)
1.5 dCi (74 kW)	04.04 -		MT		TPE boot	24608	Boot Kit				x		L:97/Ø1=25.5/Ø2=69.4 (for tripod joint)

Newsletter 09/2010

New part nos.

Car Manufacturers	OE	Spidan	Description	Barcode	Gross weight (kg)	Measurements of		
						Length	Width	Height
RENAULT / DACIA	8200618501	24460	Driveshaft	4019064044604	6,360	765	120	120
	7701473830 8200017057	24605	Boot Kit	4019064046059	0,366	170	105	105
	6001550547 7701210062 1648500 310703-1	24606	Boot Kit	4019064046066	0,254	168	103	103
	6001550548 7701209612	24607	Boot Kit	4019064046073	0,345	170	105	105
	7701209255	24608	Boot Kit	4019064046080	0,310	168	103	103
	7701209242	24611	Boot Kit	4019064046110	0,316	168	103	103